



Limescale Remover

Highly effective for the removal of limescale from hard water and concrete run-off from a wide range of surfaces. An easy and non-abrasive application for both light and heavy limescale build-up.

1. Uses

Effective for cleaning hard water scale from glass, ceramics, stainless steel, chrome, enamel, plastic and most hard surfaces without the use of abrasives.

- Cleans concrete run-off from glazing
- Removes grime, soap and similar deposits
- Suitable for use in kitchens, bathrooms and washrooms

2. Benefits

- Requires less effort to remove limescale, for easier cleaning
- Non-abrasive
- Environmentally responsible

3. Physical Properties

Sweet smelling red liquid.
Non-flammable.

4. Pack Sizes

10 x 500ml trigger spray bottles
10 x 500ml bottles
5 and 25 litre drums

5. Dilution

Dilute only for general cleaning of ClearShield Eco-Glass™.

6. Coverage Rates - Typical

- ClearShield Eco-Glass™ – 30-50m²/litre.
- Other surfaces – 15-25m²/litre, dependent on level of contamination.

7. Handling Precautions

Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Keep out of reach of children. Wash hands thoroughly after handling. Wear protective clothing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Consult your own CoSHH Assessment.

8. Application Instructions

- Cylindrical Bottles:

- Apply Limescale Remover with a clean sponge, cloth or brush
- Allow to soak for a few minutes, agitate if necessary and rinse with water
- For stubborn deposits repeat application as necessary
- Do not allow to dry on the surface

- Trigger Spray Bottles:

- Spray Limescale Remover evenly over the glass surface
- Allow to soak for a few minutes, agitate if necessary with a clean sponge, cloth or brush and rinse with water
- For stubborn deposits repeat application as necessary
- Do not allow to dry on the surface

9. Storage & Shelf Life

Store in a cool, well ventilated area. Keep container tightly closed. Unlimited shelf life for unopened bottles. Product colour may darken with age but performance is unaffected.

10. Health & Safety

Danger: Causes severe skin burns and eye damage. If necessary, consult the relevant Safety Data Sheet available from Ritec on request.

11. Further Information

Do not use on marble or other surfaces that are not acid-resistant. Do not allow to dry on metal or painted surfaces as discolouration may result.



Important Note

Ritec's products are guaranteed against defective materials and manufacture and are sold subject to its Terms & Conditions of Sale, copies of which may be obtained on request. Whilst Ritec endeavours to ensure that any advice, recommendation, specification or information is accurate and correct, it cannot – because it has not direct or continuous control over where or how its products are applied – accept any liability either directly or indirectly arising from the use of its products, whether or not in accordance with any advice, specification, recommendation or information given by it.

product data



Glass and Glazing Federation



Innova House, Innova Science Park, 4 Kinetic Crescent, Enfield, EN3 7XH, UK.

t: +44 (0)20 8344 8210 f: +44 (0)20 8344 8211 e: info@ritec.co.uk w: www.ritec.co.uk

