According to article 31 and Annex II of the EU REACH Regulation



SILFIX® HM (ALL COLOURS)

Version No: 1

Revision Date: 30/06/09

Page 1 of 5

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Trade Name	Silfix [®] HM (All colours).
Use of the substance / preparation	Construction sealant.
Manufacturer / Supplier	Hodgson Sealants Limited
	Belprin Road
	Beverley
	East Yorkshire
	HU17 0LN
Service	Tel: + 44 (0)1482 868321
	Fax: + 44 (0)1482 679337
	E-mail: <u>SDS@hodgsonsealants.com</u>
Emergency Phone Number (UK Office Hours Only: 9am to 5pm)	Tel: + 44 (0)1482 868321

2. HAZARDS IDENTIFICATION

This product is not hazardous according to article 31 and Annex II of the EU REACH Regulations.

Prolonged skin contact may defat and dry skin leading to possible irritation and dermatitis. Eye contact may cause smarting and irritation.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterisation

Silicone elastomer

Hazardous Ingredients:

	Name	CAS No.	EC No.	Conc. (%w/w)	Classification	a & R phrases
Tria	cetoxyethylsilane	17689-77-9	241-677-4	2	C, XN	R14, 22, 34
Meth	hyltriacetoxysilane	4253-34-3	224-221-9	<2	C, XN	R14, 22, 34

4. FIRST AID MEASURES

Eye contact	Flush with water. Seek medical advice if irritation persists.
Skin contact	Wipe off and wash with soap and water. Seek medical advice if irritation persists.
Inhalation	Remove to fresh air.
Ingestion	No first aid should be needed.

According to article 31 and Annex II of the EU REACH Regulation



SILFIX® HM (ALL COLOURS)

Version No: 1

Revision Date: 30/06/09

Page 2 of 5

5. FIRE FIGHTING MEASURES		
Suitable extinguishing media	Carbon dioxide, foam, dry powder or fine water spray. Water can be used to cool containers exposed to fire.	
Unsuitable extinguishing media	None known.	
Special protective equipment / procedures	A self-contained respirator and protective clothing should be worn. Keep containers cool with water spray until well after fire is out. Determine the need to evacuate or isolate the area according to your local emergency plan.	
Special exposure hazards arising from the substance or preparation itself, combustion products and resulting gases	Silica. Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde.	
6 ACCIDENTAL RELEASE MEASURES.		
Personal precautions	Wear proper protective equipment.	
Precautions to protect the environment	Prevent material from entering surface waters, drains and soil.	
Methods for cleaning up	Scrape up and place in a container fitted with a lid. The spilled product produces an extremely slippery surface.	
7. HANDLING AND STORAGE		
Advice on safe handling	General ventilation is recommended. Avoid skin and eye contact. Do not breathe vapour.	
Advice on storage	Do not store with oxidising agents. Keep container closed and store away from moisture.	
Unsuitable packaging materials	None known. Protect product against moisture.	
8. EXPOSURE CONTROLS / PERSONAL PROTECTION	1	

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure controls for hazardous components

Name	CAS No.	Workplace Exposure Limits
Triacetoxyethylsilane	17689-77-9	10 ppm for an 8 hour TWA reference period as acetic acid 10 ppm for a 15minute STEL reference period as acetic acid
Methyltriacetoxysilane	4253-34-3	10 ppm for an 8 hour TWA reference period as acetic acid 10 ppm for a 15minute STEL reference period as acetic acid

T: +44 (0)1482 868321 F: +44 (0)1482 870729 W: www.hodgsonsealants.com E: sales@hodgsonsealants.com

According to article 31 and Annex II of the EU REACH Regulation



SILFIX[®] HM (ALL COLOURS)

SILFIX® HM (ALL COLOURS)				
	Version No: 1	Revision Date: 30/06/09	Page 3 of 5	
Personal protection equipment				
	Suitable respiratory prote	Suitable respiratory protection should be worn if the product is used in		
Respiratory protection	large quantities, confined	spaces or in other circumst	ances where the OEL	
	may be approached or ex	ceeded.		
	Butyl rubber gloves if prolonged skin contact likely. Barrier creams may			
Hand protection	help protect exposed areas of skin but should not be applied once			
	exposure has occurred.			
Eye protection	Safety glasses should be worn.			
Skin protection	Protective equipment is not normally necessary.			
	Exercise good industrial hygiene practice. Wash after handling, especially			
Hygiene measures	before eating, drinking or smoking.			
Environmental exposure controls	Refer to section 6 & 12.			
9. PHYSICAL AND CHEMICAL PROPERTIES	1			
Appearance	Paste.			
Odour	None.			
	1.04g/cm³ (Black, brown and white).			
Specific Gravity	1.02g/cm³ (Translucent).			
Water solubility	0 g/l at 25°C.			
Oxidising properties	No.			
The above information is not intended for use in preparing product specification	I			
10. STABILITY AND REACTIVITY				
General information	Stable at room temperate	Jre.		
Conditions to avoid	Moisture.			
Materials to avoid	Avoid water, basic substa	ances and acids.		
Hazardous decomposition	Ethanol. At temperatures	above 150°C formaldehyd	e may be produced	
-	1		· ·	

According to article 31 and Annex II of the EU REACH Regulation



SILFIX® HM (ALL COLOURS)

Version No: 1

Revision Date: 30/06/09

Page 4 of 5

On contact with eyes	May cause temporary discomfort.	
On skin contact	No adverse effects are normally expected.	
On inhalation	Vapours evolved during curing may cause dizziness.	
On ingestion	Small amounts transferred to the mouth by fingers during use should not injure. Swallowing large amounts may cause digestive discomfort.	
Other health hazard information	None known.	
12. ECOLOGICAL INFORMATION		
Ecotoxicity effects	No adverse effects on aquatic organisms are predicted.	
Environmental fate and distribution	Solid material, insoluble in water. No adverse effects are predicted.	
Fate and effects in waste water treatment plants	No adverse effects on bacteria are predicted.	
Persistence and degradability	Biologically not degradable	
Bioaccumulation	No bioaccumulation potential.	
13. DISPOSAL CONSIDERATIONS		
Product disposal	Dispose of in accordance with local regulations. Do not empty product into drains. According to the European catalogue, waste codes are not product specific, but application specific. The user should assign waste codes, preferably in discussion with the waste disposal authorities.	
Packaging disposal	Dispose of in accordance with local regulations. Do not empty product into drains. The user should assign waste codes, preferably in discussion with the waste disposal authorities.	
14. TRANSPORT INFORMATION		
Road / Rail (ADR/RID)	Not subject to ADR/RID.	
Sea transport (IMDG)	Not subject to IMDG code.	
Air transport (ICAO)	Not subject to ICAO regulations.	

According to article 31 and Annex II of the EU REACH Regulation



SILFIX® HM (ALL COLOURS)

Version No: 1

Revision Date: 30/06/09

Page 5 of 5

15. REGULATORY INFORMATION	
Labelling according to EEC directive	
Nature of hazard	No specific regulatory or labelling requirements.
Hazard symbols	No specific regulatory or labelling requirements.
R-phrases	No specific regulatory or labelling requirements.
S-phrases	S24 Avoid contact with skin. S51 use only in well-ventilated areas.
EINECS	All ingredients listed or exempt.

16. OTHER INFORMATION

This Product Safety Data Sheet was prepared in compliance with article 31 and Annex II of the EU REACH regulation as well as their relevant amendments, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

This product should only be used as stated in Hodgson literature. It is the responsibility of the persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose of, or in any way come in to contact with the product. If the recipient subsequently produces a formulation containing the Hodgson product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Hodgson Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with article 31 and Annex II of the EU REACH regulation.

All information and instructions provided in the Product Safety Data Sheet are based on the current state of scientific and technical knowledge at the date indicated on the present Product Safety Data Sheet. Hodgson shall not be held responsible for any defect in the product covered by this Product Safety Data Sheet, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

T: +44 (0)1482 868321 **F:** +44 (0)1482 870729 W: www.hodgsonsealants.com E: sales@hodgsonsealants.com