EASY GLASS® PRO

PERFECT ALIGNMENT MADE EASY

Easy Glass PRO Top Mount F Frameless Glass Balustrade

Installation Type:

Base shoe, Top Mount F (inside fixing, mounting) Suitable for: Indoor and outdoor Application: Unfinished floor balustrades Material: Aluminium with stainless steel (IX) effect Glass Thickness:12mm to 21.52mm Length: 2500/5000

Exceptionally strong and safe

This elegant strongman can cope with extremely heavy line and wind loads. Its combination of qualities makes Max the perfect choice for high demand public areas such as stadiums, airports and shopping malls.

- Heavy and extremely heavy use railings for indoor and outdoor settings, including stairs
- Simple installation with hexagon-head anchors
- Can be installed directly on to concrete or steel structures
- Quick and easy glass mounting thanks to the Safety Wedge System (wedges and rubber set)
- Can be combined with:
 - Q-railing's glass mounted handrails, cap rails, U-profiles and edge protection
 - Q-glass (glass infill custom made panels or from stock)
 - Q-lights Linear Light (for LED-lit handrails and cap rails)



Installation Options



Installation Guide





Rubber Inserts and adjustable wedge kit for Easy Glass Pro base channel.



Glass alignment made easy, glass panels adjustable in every direction by up to 10mm - from inside the balustrade







Related Fittings



Corner Base Channels





Connection Pins for Easy Glass









Cladding Profile