

## **PVCu SOLVENT CLEANER**

Version No. 5

Revision Date: 19/09/2012

Page 1 of 8

SECTION 1. IDENTIFICATION OF THE SUBSTANCE /	MIXTURE AND OF THE COMP	ANY UNDERTAKING
1.1. Product identifier.	Product Name: PVCu Solvent Cleaner	
1.2. Relevant identified uses of the substance or mixture and uses advised against.	Identified uses: Cleaning solvent for use on PVCu window frames. Uses advised against: Any other uses other than the advised purpose.	
1.3. Details of the supplier of the datasheet.	Hodgson Sealants (Holdings) Limited Belprin Road Beverley East Yorkshire HU17 0LN	Tel: + 44 (0)1482 868321 Fax: + 44 (0)1482 679337 E-mail: <u>SDS@hodgsonsealants.com</u>
1.4. Emergency Phone Number (UK Office Hours Only: 9am to 5pm)	Tel: + 44 (0)1482 868321 E-mail: <u>SDS@hodgsonsealants.com</u>	
SECTION 2. HAZARDS IDENTIFICATION		
2.1. Classification of the substance or mixture.		
Classification according to regulation (EC) No 1272/2008 [CLP].	Aquatic Chronic 2: H411 Flam. Liq. 2: H225 Skin Irrit. 2: H315 STOT SE 3: H336, EUH066	
Classification according to Directive 1999/45/EC.	F: R11 Xi: R38 N: R51/53 Xn: R65, R66, R67	

Hodgson Sealants (Holdings) Limited

Belprin Road, Beverley, East Yorkshire, HU17 OLN, United Kingdom

T: +44 (0)1482 868321 **F:** +44 (0)1482 870729

W: www.hodgsonsealants.com E: sales@hodgsonsealants.com



PVCu SOLVENT CLEANER				
	Version No. 5	Revision Date: 19/09/2012	Page 2 of 8	
2.2. Label elements.				
<u>Classification according to regulation (EC) No 1272/2008 [CLP].</u>	GHS02 GH Signal word; DANGER	507 GHS09		
		tion.	sking	
	P273: Avoid release to t	neat/sparks/open flames/hot surfaces.	· ·	
	clothing. Rinse skin with P304+340: IF INHALED comfortable for breathin	SKIN (or hair): Remove immediately a water/shower. : Remove victim to fresh air and keep g. e: Use dry chemical powder, Alcohol,	at rest in a position	
Classification according to Directive 1999/45/EC.	*	×	Z	
	Highly Flammable	Harmful Dangerous for the Dang	he Environment	
	aquatic environment. R65: Harmful: may caus R66: Repeated exposur	e organisms, may cause long-term adv e lung damage if swallowed. e may cause skin dryness or cracking e drowsiness and dizziness.		
	S33: Take precautionan S43: In case of fire, use S61: Avoid release to th sheets.	e environment. Refer to special instru ot induce vomiting: seek medical advic		
	Other Hazards; In use, may form flamm;	able / explosive vapour-air mixture.		

Hodgson Sealants (Holdings) Limited

Belprin Road, Beverley, East Yorkshire, HU17 OLN, United Kingdom

**T:** +44 (0)1482 868321 **F:** +44 (0)1482 870729

W: www.hodgsonsealants.com

E: sales@hodgsonsealants.com

## **SAFETY DATA SHEET (SDS)**

SDS Compliant with REACH Regulation (EC) No 1907/2006 - Nº 453/2010



## **PVCu SOLVENT CLEANER**

Version No. 5

Revision Date: 19/09/2012

Page 3 of 8

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.2 Chemical Characterisation: Mixtures

Description of mixture: Liquid blend of hydrocarbon solvents and auxiliaries.

#### Hazardous ingredients:

Name	CAS No.	EC No.	Index No.	REACH Registration No.	% (weight)	Classification according to 67/548/EEC	Classification according to Regulation (EC) No 1278/2008 (CLP).
Low boiling point hydrogen treated naphtha – naphtha (petroleum), hydrotreated light.	64742-49-0	265-151-9	649-328-00-1	-	30-50	Xn: R65 F+: R12 Xi: R38 N: R51/53	Asp. Tox. 1:H304 Flam. Liq. 1:H224 Skin Irrit. 2:H315 Aquatic Chronic 2: H411
N-butyl acetate	123-86-4	204-658-1	607-025-00-1	-	10-30	R10, R66, R67	Flam. Liq. 3:H226 STOT SE 3: H336 EUH066
Ethanol	64-17-5	200-578-6	603-002	-	10-30	F: R10	Flam. Liq. 2:H225
Low boiling point hydrogen treated naphtha – naphtha (petroleum), hydrosuphurized heavy.	64742-82-1	265-185-4	649-330-00-2	-	1-10	Xn: R65, R10 N: R51/53	Asp. Tox. 1:H304 Flam. Liq. 3:H226 Aquatic Chronic 2:H411
2-butoxyethanol	111-76-2	203-905-0	603-014-00-0	-	1-10	Xn: R20/21/22 Xi: R36/38	Acute Tox.4:H332 Acute Tox.4:H312 Acute Tox.4:H302 Eye Irrit. 2:H319 Skin Irrit. 2:H315
Methanol	67-56-1	200-659-6	603-001-00-X	-	<1	F: R11 T: R23/24/25 T: R39/23/24/25	Flam. Liq.2:H225 Acute Tox.3:H331 Acute Tox.3:H311 Acute Tox.3:H301 STOT SE 1:H370

### 4. FIRST AID MEASURES

4.1. Description of first aid measures	
Following inhalation:	Remove from exposure, rest and keep warm. In severe cases, or if recovery is not rapid or complete, seek medical advice.
Following skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.
Following eye contact:	Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues
Following ingestion:	Wash out mouth with water. If patient is conscious, give water to drink. If patient feels unwell, seek medical advice. DO NOT INDUCE VOMITING.

Hodgson Sealants (Holdings) Limited

Belprin Road, Beverley, East Yorkshire, T: +44 (0)1482 868321

W: www.hodgsonsealants.com E: sales@hodgsonsealants.com

HU17 OLN, United Kingdom

F: +44 (0)1482 870729

Registered in England No. 5338229 | Registered Office. Belprin Road, Beverley, East Yorkshire, HU17 0LN, United Kingdom | VAT REG. No. GB 856 3436 07



## **PVCu SOLVENT CLEANER**

Version No. 5

Revision Date: 19/09/2012

Page 4 of 8

4.2. Most important symptoms and effects, both acute and delayed			
Skin contact:	There may be irritation and redness at the site of contact.		
Eye contact:	There may be irritation and redness. The eyes may water profusely.		
Ingestion:	There may be soreness and redness of the mouth and throat.		
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.		
4.3. Indication of any immediate medical attention and special treatment needed	Eye bathing equipment should be available on the premises.		
5. FIREFIGHTING MEASURES	I		
5.1. Extinguishing media Suitable extinguishing media; Unsuitable extinguishing media;	Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder. Use water spray to cool containers. None known.		
5.2. Special hazards arising from the substance or mixture Hazardous combustion products;	Highly flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture Vapour may travel considerable distance to source of ignition and flash back.		
5.3. Advice for firefighters	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.		
6. ACCIDENTAL RELEASE MEASURES			
6.1. Personal precautions, protective equipment and emergency procedures	Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.		
6.1.1. For non-emergency personnel	Wear proper protective equipment.		
6.1.2. For emergency responders	Wear proper protective equipment.		
6.2. Environmental precautions	Do not discharge into drains or rivers. Contain the spillage using bunding.		
6.3. Methods and material for containment and cleaning up			
6.3.1. For containment:	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method		
6.3.2. For cleaning up:	disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks. Scrape up and place in a container fitted with a lid. Dispose of in accordance with local regulations. No information available.		
6.3.3. Other information:			
6.4. Reference to other sections	Refer to section 8 of SDS.		
Igson Sealants (Holdings) Limited Belprin Road, Beve	rley, East Yorkshire, T: +44 (0)1482 868321 W: www.hodgsonsealants		



## **PVCu SOLVENT CLEANER**

Version No. 5

Revision Date: 19/09/2012

Page 5 of 8

7. HANDLING AND STORAGE	
7.1. Precautions for safe handling	Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools.
7.2. Conditions for safe storage, including any incompatibilities	Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition. Store in original container in a dry and cool place.
7.3. Specific end use(s).	Cleaning solvent for use on PVCu window frames.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1. Control parameters

Name	CAS No.	Workplace Exposure Limits
N-butyl acetate	123-86-4	724mg/m³ – 8 hour TWA, 966mg/m³ – 15 min. STEL
Ethanol	64-17-5	1920mg/m <sup>3</sup> - 8 hour TWA
2-butoxyethanol	111-76-2	25ppm – 8 hour TWA, 50ppm – 15 min. STEL
Methanol	67-56-1	266mg/m <sup>3</sup> 8 hour TWA, 333mg/m <sup>3</sup> – 15 min. STEL

<ul> <li>8.2. Exposure control</li> <li>8.2.1. Appropriate engineering controls</li> <li>8.2.2. Personal protection equipment</li> <li>8.2.2.1. Eye face protection</li> </ul>	equipment are not a	icient ventilation of the area. Ensure l a source of ignition. iety glasses. Ensure eye bath is to ha	
8.2.2.2. Skin protection	Impermeable protect	ctive clothing.	
8.2.2.3. Respiratory protection:	Self-contained brea Refer to section 6 8	thing apparatus must be available in 12.	case of emergency.
8.2.2.4. Thermal hazards	Non Known.		
8.2.3. Environmental exposure controls			
Hodgson Sealants (Holdings) Limited	Belprin Road, Beverley, East Yorkshire,	<b>T:</b> +44 (0)1482 868321	W: www.hodgsonsealants.com
	HU17 OLN, United Kingdom	F: +44 (0)1482 870729	E: sales@hodgsonsealants.com

## SAFETY DATA SHEET (SDS)

SDS Compliant with REACH Regulation (EC) No 1907/2006 - Nº 453/2010



#### **PVCu SOLVENT CLEANER** Revision Date: 19/09/2012 Version No. 5 Page 6 of 8 9. PHYSICAL AND CHEMICAL PROPERTIES 9.1 Information on basic physical and chemical properties Appearance: Liquid. Vapour pressure: 5.8 kPa Odour: Solvent. Vapour density: No data available Odour Threshhold: N/a Relative Density: 0.791g/cm<sup>3</sup> @ 20°C Colour: Colourless Solubility; Highly soluble PH: Approx. 7 Partition coefficient: n-octanol / water: No data available Melting point / freezing point: No data available Auto-ignition temperature: 230°C Initial boiling point and boiling range: 78.4 to 115.4°C Decomposition temperature: No data available Flash point: 12°C Viscosity: No data available Evaporation rate: No data available Explosive properties: No data available Flammability (solid, gas): Flammable liquid Oxidising: No data available Upper / lower flammability or explosive limits: No data available 9.2 Other Information: No data available. **10. STABILITY AND REACTIVITY** 10.1 Reactivity If stored and handled in accordance with standard industrial practices no hazardous 10.1.1 reactions are known 10.1.2 Not applicable 10.2 Chemical stability Stable at room temperature Hazardous reactions will not occur under normal transport or storage conditions. 10.3 Possibility of Hazardous Reactions Decomposition may occur on exposure to conditions or materials listed below. 10.4 Conditions to Avoid Heat. Hot surfaces. Sources of ignition. Flames. **10.5 Incompatible Materials** Strong oxidising agents. Strong acids. 10.6 Hazardous decomposition products During combustion Carbon Monoxide (CO) and Carbon Dioxide (CO2) will be generated. **11. TOXICOLOGICAL INFORMATION** 11.1 Information on toxicological effects Acute toxicity: Not applicable ab- Irritation: Of skin, eyes, mouth and throat can be expected. Corrosivity: Not applicable. Cd-Sensitisation: Not applicable Repeated dose toxicity: Not applicable. ef-Carcinogenicity: Not applicable Mutagenicity: Not applicable. g-Toxicity for reproduction:. Not applicable h-

Hodgson Sealants (Holdings) Limited

Belprin Road, Beverley, East Yorkshire, HU17 OLN, United Kingdom

rkshire, T: +44 (0)1482 868321 F: +44 (0)1482 870729 W: www.hodgsonsealants.com E: sales@hodgsonsealants.com

Registered in England No. 5338229 | Registered Office. Belprin Road, Beverley, East Yorkshire, HU17 0LN, United Kingdom | VAT REG. No. GB 856 3436 07



## **PVCu SOLVENT CLEANER**

Version No. 5

Revision Date: 19/09/2012

Page 7 of 8

12. ECOLOGICAL INFORMATION	
12.1. Toxicity:	Not applicable
12.2. Persistence and degradability:	Biodegradable
12.3. Bioaccumulative potential:	No bioaccumulation potential.
12.4. Mobility in soil:	Readily absorbed into soil.
12.5. Results of PBT and vPvB testing:	This substance is not identified as a PBT substance.
12.6. Other adverse effects:	Negligible ecotoxicity.
12.7. Additional information:	None Known
13. DISPOSAL CONSIDERATIONS	
13.1. Waste treatment methods:	Dispose of in accordance with local regulations. Do not empty product into drains. According to the European catalogue, waste codes are not product specific, but application specific. The user should assign waste codes, preferably in discussion with the waste disposal authorities.
13.1.1. Product / packaging disposal:	Dispose of in accordance with local regulations. Do not empty product into drains. The user should assign waste codes, preferably in discussion with the waste disposal authorities.
14. TRANSPORT INFORMATION	
14.1. UN Number	UN1993
14.2. UN proper shipping name	FLAMMABLE LIQUID, N.O.S.
14.3. Transport hazard class(es)	3.
14.4. Packing Group	II.
14.5. Environmental hazards	Yes.
14.6. Special precautions for user Tunnel code Transport category	Not Applicable. D/E 2
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code"	Not Applicable.
15. REGULATORY INFORMATION	
15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture	No data available
15.2 Chemical Safety Assessment	No data available

Hodgson Sealants (Holdings) Limited

Belprin Road, Beverley, East Yorkshire, HU17 OLN, United Kingdom

**T:** +44 (0)1482 868321 **F**: +44 (0)1482 870729

W: www.hodgsonsealants.com E: sales@hodgsonsealants.com

Registered in England No. 5338229 | Registered Office. Belprin Road, Beverley, East Yorkshire, HU17 0LN, United Kingdom | VAT REG. No. GB 856 3436 07

## **SAFETY DATA SHEET (SDS)**

SDS Compliant with REACH Regulation (EC) No 1907/2006 - Nº 453/2010



### **PVCu SOLVENT CLEANER**

Version No. 5

Revision Date: 19/09/2012

Page 8 of 8

### **16. OTHER INFORMATION**

This safety data sheet has been compiled in accordance with ANNEX-II guide to the compilation of safety data sheets of Regulation (EC) No. 1907/2006.

#### Relevant Phrases;

#### According to Regulation (EC) No 1278/2008 (CLP/ GHS);

EUH066: Repeated exposure may cause skin dryness or cracking.

- H224: Extremely flammable liquid and vapour.
- H225: Highly flammable liquid and vapour.
- H226: Flammable liquid and vapour.
- H301: Toxic if swallowed.
- H302: Harmful if swallowed.
- H304: May be fatal if swallowed and enters airways.
- H311: Toxic in contact with skin.
- H312: Harmful in contact with skin.
- H315: Causes skin irritation.
- H319: Causes serious eye irritation.
- H331: Toxic if inhaled.
- H332: Harmful if inhaled.
- H336: May cause drowsiness or dizziness.
- H340: May cause genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
- H350: May cause cancer < state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

#### According to 67/548/EEC;

R10: Flammable.

- R11: Highly flammable.
- R12: Extremely flammable.
- R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.
- R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.
- R36/38: Irritating to eyes and skin.
- R38: Irritating to skin.
- R39/23/24/25: Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.
- R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R65: Harmful: may cause lung damage if swallowed.
- R66: Repeated exposure may cause skin dryness or cracking.
- R67: Vapours may cause drowsiness and dizziness.

#### Abbreviations / Acronyms used;

CAS# - Chemical Abstracts Service number.

**PBT** - Persistent, Bioaccumulative and Toxic substance.

VPvB - Very Persistent and Very Bioaccumulative.

UN - United Nations.

REACH – Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.

This Product Safety Data Sheet was prepared in compliance with article 31 and Annex II of the EU REACH regulation as well as their relevant amendments, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

This product should only be used as stated in Hodgson literature. It is the responsibility of the persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose of or in any way come in to contact with the product. If the recipient subsequently produces a formulation containing the Hodgson product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Hodgson Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with article 31 and Annex II of the EU REACH regulation.

All information and instructions provided in the Product Safety Data Sheet are based on the current state of scientific and technical knowledge at the date indicated on the present Product Safety Data Sheet. Hodgson shall not be held responsible for any defect in the product covered by this Product Safety Data Sheet, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

Hodgson Sealants (Holdings) Limited

Belprin Road, Beverley, East Yorkshire,

**T:** +44 (0)1482 868321 **F:** +44 (0)1482 870729 W: www.hodgsonsealants.com E: sales@hodgsonsealants.com

HU17 OLN, United Kingdom