

#### AFTERCARE FOR CLEARSHIELD GLASS

Page: 1

Compilation date: 24.06.10

Revision No: 5

#### Section 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

#### Product name: AFTERCARE FOR CLEARSHIELD GLASS

1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

Company name: Ritec International Limited

Innova House

Innova Science Park

4 Kinetic Crescent

Enfield

EN3 7XH

United Kingdom

Tel: 020 8344 8210

Fax: 020 8344 8211

Email: info@ritec.co.uk

# 1.4. Emergency telephone number

Emergency tel: +44 07785 360 784

# Section 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319

Classification under CHIP: This product has no classification under CHIP.

#### 2.2. Label elements

#### Label elements under CLP:

Hazard statements:H319: Causes serious eye irritation.Signal words:Warning

Hazard pictograms: GHS07: Exclamation mark



 Precautionary statements:
 P264: Wash hands thoroughly after handling.

 P280: Wear protective gloves.
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P337+313: If eye irritation persists: Get medical advice.

## AFTERCARE FOR CLEARSHIELD GLASS

Label elements under CHIP:	
Hazard symbols:	No significant hazard.
Safety phrases:	S2: Keep out of the reach of children.
	S13: Keep away from food, drink and animal feeding stuffs.
	S25: Avoid contact with eyes.
	S26: In case of contact with eyes, rinse immediately with plenty of water and seek
	medical advice.
2.3. Other hazards	

**Other hazards:** Classification: No hazards resulting from material as supplied. Handle in accordance with good industrial hygiene and safety practice.

**PBT:** This substance is not identified as a PBT substance.

# Section 3: Composition/information on ingredients

# 3.2. Mixtures

# Hazardous ingredients:

#### PROPAN-2-OL

EINECS	CAS	CHIP Classification	CLP Classification	Percent
200-661-7	67-63-0	F: R11; Xi: R36; -: R67	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336	10-30%

# Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Consult a doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

Inhalation: No symptoms.

# 4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

# 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

**Page:** 2

#### AFTERCARE FOR CLEARSHIELD GLASS

Page: 3

## 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

# Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leakside up to prevent the escape of liquid.

## 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

# 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

# 6.4. Reference to other sections

# Section 7: Handling and storage

7.1. Precautions for safe handling

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

#### Section 8: Exposure controls/personal protection

## 8.1. Control parameters

#### Hazardous ingredients:

#### PROPAN-2-OL

#### Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m3	1250 mg/m3	-	-

Respirable dust

#### 8.2. Exposure controls

Engineering measures: No particular ventilation requirements

Respiratory protection: Respiratory protection not required.

#### AFTERCARE FOR CLEARSHIELD GLASS

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

# Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State:	Liquid
Colour:	Green
Odour:	Pleasant
Evaporation rate:	Slow
Oxidising:	Non-oxidising (by EC criteria)
Solubility in water:	Highly soluble
Boiling point/range°C:	100
pH:	5.0 - 7.0

9.2. Other information

Other information: Not applicable.

# Section 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

**Section 11: Toxicological information** 

11.1. Information on toxicological effects

Toxicity values: Not applicable.

# Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

Page: 4

Relative density: 1.01+/- 0.1

## AFTERCARE FOR CLEARSHIELD GLASS

Inhalation: No symptoms.

## Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: Not applicable.

## 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

# 12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

## Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal of packaging:** Dispose of in accordance with local authority requirements.

**NB:** The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

## **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

# Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

# Section 16: Other information

# Other information

Other information: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008

on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No

**Page:** 5

# AFTERCARE FOR CLEARSHIELD GLASS

# 1907/2006

Phrases used in s.2 and 3:	H225: Highly flammable liquid and vapour.	
	H319: Causes serious eye irritation.	
	H336: May cause drowsiness or dizziness.	
	R11: Highly flammable.	
	R36: Irritating to eyes.	
	R67: Vapours may cause drowsiness and dizziness.	
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive	
	and shall be used only as a guide. This company shall not be held liable for any	
	damage resulting from handling or from contact with the above product.	

**Page:** 6