

# SILICONE EATER-SE550

Page: 1

Compilation date: 07.07.10

Revision date: 30/06/2011

Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: SILICONE EATER-SE550

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Harmful Solvent based blend and activator for effective removal of cured and uncured

silicones.

#### 1.3. Details of the supplier of the safety data sheet

Company name: Ritec International Limited

Innova House

Innova Science Park

4 Kinitec Crecent

Enfield

EN3 7XH

United Kingdom

Tel: 020 8344 8210

Fax: 020 8344 8211

Email: info@ritec.co.uk

1.4. Emergency telephone number

Emergency tel: +44 07785 360 784

Section 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification under CHIP: Xi: R36/38; Xn: R20/22

Classification under CLP: Skin Corr. 1B: H314

Most important adverse effects: Irritating to eyes and skin. Harmful by inhalation and if swallowed.

2.2. Label elements

Label elements under CLP:

Hazard statements: H314: Causes severe skin burns and eye damage.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion



Precautionary statements: P264: Wash hands thoroughly after handling.

# SILICONE EATER-SE550

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405: Store locked up.

# Label elements under CHIP:

Hazard symbols: Harmful.



Distant	
RISK phrases:	R36/38: Irritating to eyes and skin.
	R20/22: Harmful by inhalation and if swallowed.
Safety phrases:	S1/2: Keep locked up and out of the reach of children.
	S26: In case of contact with eyes, rinse immediately with plenty of water and seek
	medical advice.
	S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.
	S46: If swallowed, seek medical advice immediately and show this container or label.

#### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

# 3.2. Mixtures

#### Hazardous ingredients:

#### ALKYL ARYL SULPHONIC ACID

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	85117-49-3	Xn: R22; C: R34	-	5-10%

#### Non-classified ingredients:

#### PETROLEUM DISTILLATE HYDROTREATED, LIGHT

EINEC	S CAS	CHIP Classification	CLP Classification	Percent
-	64742-47-8	Xn: R65	-	50-70%

#### Section 4: First aid measures

# 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

- **Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Transfer to hospital as soon as possible.
- Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

# SILICONE EATER-SE550

# 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

#### Section 5: Fire-fighting measures

5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

# Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

# 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

# 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

# SILICONE EATER-SE550

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

#### 7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

# 8.1. Control parameters

Workplace exposure limits: No data available.

#### **DNEL/PNEC** Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Protective gloves.Eye protection:Safety glasses. Ensure eye bath is to hand.Skin protection:Protective clothing.

Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State:	Liquid	
Colour:	Tan	
Odour:	Aromatic	
Evaporation rate:	Moderate	
Oxidising:	Non-oxidising (by EC criteria)	
Viscosity:	Non-viscous	
Boiling point/range°C:	>200 Flash point°C:	70
Autoflammability°C:	>200 Vapour pressure:	0.015 KPa @ 20 C
Relative density:	0.98	

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# SILICONE EATER-SE550

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

#### Hazardous ingredients:

# ALKYL ARYL SULPHONIC ACID

ORAL RAT LD50	>20	mg/kg
---------------	-----	-------

#### **Relevant effects for mixture:**

Effect	Route	Basis
Acute toxicity (harmful)	INH ING	Hazardous: calculated
Irritation	OPT DRM	Hazardous: calculated

#### Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

# 12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

#### SILICONE EATER-SE550

Page: 6

# 12.4. Mobility in soil

Mobility: Readily absorbed into soil.

# 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

# 12.6. Other adverse effects

# Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

# 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company. Disposal of packaging: Dispose of as normal industrial waste. NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

# Section 14: Transport information

14.1. UN number

UN number: UN2586

14.2. UN proper shipping name

Shipping name: ARYLSULPHONIC ACIDS, LIQUID

14.3. Transport hazard class(es)

Transport class: 8

# 14.4. Packing group

Packing group: |||

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **15.2. Chemical Safety Assessment**

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Marine pollutant: No

# SILICONE EATER-SE550

		-
Section 16: Other information		
Other information		
Other information:	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE	
	COUNCIL of 16 December 2008	
	on classification, labelling and packaging of substances and mixtures, amending and	
	repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No	
	1907/2006	
Phrases used in s.2 and s.3:	H314: Causes severe skin burns and eye damage.	
	R20/22: Harmful by inhalation and if swallowed.	
	R22: Harmful if swallowed.	
	R34: Causes burns.	
	R36/38: Irritating to eyes and skin.	
	R65: Harmful: may cause lung damage if swallowed.	
Legend to abbreviations:	PNEC = predicted no effect level	
	DNEL = derived no effect level	
	LD50 = median lethal dose	
	LC50 = median lethal concentration	
	EC50 = median effective concentration	
	IC50 = median inhibitory concentration	
	dw = dry weight	
	bw = body weight	
	cc = closed cup	
	oc = open cup	
	MUS = mouse	
	GPG = guinea pig	
	RBT = rabbit	
	HAM = hamster	
	HMN = human	
	MAM = mammal	
	PGN = pigeon	
	IVN = intravenous	
	SCU = subcutaneous	
	SKN = skin	
	DRM = dermal	
	OCC = ocular/corneal	
	PCP = phycico-chemical properties	
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive	
	and shall be used only as a guide. This company shall not be held liable for any	
	damage resulting from handling or from contact with the above product. [1	inal page]