According to article 31 and Annex II of the EU REACH Regulation



SILFIX® LMA (White)

Version No: 3

Revision Date: 12/10/2011

Page 1 of 5

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY **Trade Name** Silfix LMA White. Use of the substance / preparation Construction sealant. Manufacturer / Supplier Hodgson Sealants Limited Belprin Road Beverley East Yorkshire HU17 0LN Tel: +44 (0)1482 868321 Service Fax: +44 (0)1482 679337 E-mail: SDS@hodgsonsealants.com Emergency Phone Number (UK Office Hours Only: 9am to 5pm) Tel: + 44 (0)1482 868321

2. HAZARDS IDENTIFICATION

This product is not hazardous according to article 31 and Annex II of the EU REACH Regulations.

Prolonged skin contact may defat and dry the skin leading to possible irritation and dermatitis. Eye contact may cause smarting and irritation.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterisation

Silicone elastomer

Hazardous Ingredients:

Name	CAS No.	EC No.	Conc. (%w/w)	Classification	ı & R phrases
Triacetoxyethylsilane	17689-77-9	241-677-4	1-5	C, R	R14, 22, 34
Methyltriacetoxysilane	4253-34-3	224-221-9	1-5	C, R	R14, 22, 34
Distillates, petroleum, hydrotreated middle	64742-46-7	265-148-2	10-30	XN	R65

4. FIRST AID MEASURES

Eye contact	Flush with water. Seek medical advice if irritation persists.
Skin contact	Wipe off and wash with soap and water. Seek medical advice if irritation persists.
Inhalation	Remove to fresh air.
Ingestion	No first aid should be needed.

According to article 31 and Annex II of the EU REACH Regulation



SILFIX® LMA (White)

Version No: 3

Revision Date: 12/10/2011

Page 2 of 5

5. FIRE FIGHTING MEASURES			
Suitable extinguishing media	Carbon dioxide, foam, dry powder or fine water spray. Water can be used to cool containers exposed to fire.		
Unsuitable extinguishing media	None known.		
Special protective equipment / procedures	A self-contained respirator and protective clothing should be worn. Keep containers cool with water spray until well after fire is out. Determine the need to evacuate or isolate the area according to your local emergency plan.		
Special exposure hazards arising from the substance or preparation itself, combustion products and resulting gases	Silica. Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde.		
6 ACCIDENTAL RELEASE MEASURES.			
Personal precautions	Wear proper protective equipment.		
Precautions to protect the environment	Prevent material from entering surface waters, drains and soil.		
Methods for cleaning up	Scrape up and place in a container fitted with a lid. The spilled product produces an extremely slippery surface.		
7. HANDLING AND STORAGE			
Advice on safe handling General ventilation is recommended. Avoid skin and eye contact breathe vapour.			
Advice on storage	Do not store with oxidising agents. Keep container closed and store away from moisture.		
Unsuitable packaging materials	None known. Protect product against moisture.		
8. EXPOSURE CONTROLS / PERSONAL PROTECTION	1		

Exposure controls for hazardous components

Name CAS No.		Workplace Exposure Limits	
Triacetoxyethylsilane	17689-77-9	10 ppm for an 8 hour TWA reference period as acetic acid 10 ppm for a 15minute STEL reference period as acetic acid	
Methyltriacetoxysilane 4253-34-3		10 ppm for an 8 hour TWA reference period as acetic acid 10 ppm for a 15minute STEL reference period as acetic acid	

T: +44 (0)1482 868321 **F**: +44 (0)1482 870729 W: www.hodgsonsealants.com E: sales@hodgsonsealants.com

According to article 31 and Annex II of the EU REACH Regulation



SILFIX[®] LMA (White)

Version No: 3

Revision Date: 12/10/2011

Page 3 of 5

ersonal protective equipment	
	Suitable respiratory protection should be worn if the product is used in
Respiratory protection	large quantities, confined spaces or in other circumstances where the OEL
	may be approached or exceeded.
	Butyl rubber gloves if prolonged skin contact likely. Barrier creams may
Hand protection	help protect exposed areas of skin but should not be applied once
	exposure has occurred.
Eye protection	Safety glasses should be worn.
Skin protection	Protective equipment is not normally necessary.
	Exercise good industrial hygiene practice. Wash after handling, especially
Hygiene measures	before eating, drinking or smoking.
Environmental exposure controls	Refer to section 6 & 12.

npearance		Paste.	
ppearance			
Colour		White.	
Odour None.		None.	
Specific Gravity		0.96g/cm ³	
Water solubility 0 g/l at 25°C		0 g/l at 25°C	
Oxidising properties		No.	
The above information is not intended for use in pr	reparing product specifica	ions.	
10. STABILITY AND REACTIVITY			
General information		Stable at room temperature.	
Conditions to avoid		Moisture.	
Materials to avoid		Avoid water, basic substances and acids.	
Hazardous decomposition		Ethanol. At temperatures above 150°C formaldehyde may be produced through oxidation.	
Hodason Sealants Limited Belori	n Road. Beverlev	T : +44 (0)1482 868321 W : www.hodgsonsealant	

According to article 31 and Annex II of the EU REACH Regulation



SILFIX [®] LMA (White)	Version No: 3	Revision Date: 12/10/2011	Page 4 of 5	
11. TOXICOLOGICAL INFORMATION				
On contact with eyes	May cause temporar	May cause temporary discomfort.		
On skin contact	No adverse effects a	No adverse effects are normally expected.		
On inhalation	Vapours evolved dur	Vapours evolved during curing may cause dizziness.		
On ingestion		Small amounts transferred to the mouth by fingers during use should not injure. Swallowing large amounts may cause digestive discomfort.		
Other health hazard information	None known.			
12. ECOLOGICAL INFORMATION				
Ecotoxicity effects	No adverse effects o	No adverse effects on aquatic organisms are predicted.		
Environmental fate and distribution Solid material, insoluble in water. No adverse effects are p			re predicted.	
Fate and effects in waste water treatment plants	No adverse effects o	No adverse effects on bacteria are predicted.		
Persistence and degradability	Biologically not degra	Biologically not degradable		
Bioaccumulation	No bioaccumulation	No bioaccumulation potential.		
13. DISPOSAL CONSIDERATIONS				
Product disposal	drains. According to specific, but applicati	Dispose of in accordance with local regulations. Do not empty product into drains. According to the European catalogue, waste codes are not product specific, but application specific. The user should assign waste codes, preferably in discussion with the waste disposal authorities.		
Packaging disposal	drains. The user sho	Dispose of in accordance with local regulations. Do not empty product into drains. The user should assign waste codes, preferably in discussion with the waste disposal authorities.		
14. TRANSPORT INFORMATION				
Road / Rail (ADR/RID)	Not subject to ADR/F	Not subject to ADR/RID.		
Sea transport (IMDG)	Not subject to IMDG	Not subject to IMDG code.		
Air transport (ICAO)	Not subject to ICAO	Not subject to ICAO regulations.		
Hodoson Sealants Limited Belorin Road. Beverley	T : +44 (0)148	2.969221 W: wave	v.hodɑsonsealants.co	

According to article 31 and Annex II of the EU REACH Regulation



SILFIX[®] LMA (White)

Version No: 3

Revision Date: 12/10/2011

Page 5 of 5

15. REGULATORY INFORMATION	
Labelling according to EEC directive	
Nature of hazard	No specific regulatory or labelling requirements.
Hazard symbols	No specific regulatory or labelling requirements.
R-phrases	No specific regulatory or labelling requirements.
S-phrases	S24 Avoid contact with skin. S51 Use only in well-ventilated areas.
EINECS	All ingredients listed or exempt.

16. OTHER INFORMATION

This Product Safety Data Sheet was prepared in compliance with article 31 and Annex II of the EU REACH regulation as well as their relevant amendments, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

This product should only be used as stated in Hodgson literature. It is the responsibility of the persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose of, or in any way come in to contact with the product. If the recipient subsequently produces a formulation containing the Hodgson product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Hodgson Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with article 31 and Annex II of the EU REACH regulation.

All information and instructions provided in the Product Safety Data Sheet are based on the current state of scientific and technical knowledge at the date indicated on the present Product Safety Data Sheet. Hodgson shall not be held responsible for any defect in the product covered by this Product Safety Data Sheet, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

T: +44 (0)1482 868321 **F:** +44 (0)1482 870729 W: www.hodgsonsealants.com E: sales@hodgsonsealants.com